

Scissor Lift

Used Scissor Lift West Virginia - The industrial equipment that utilizes crisscrossed steel linked arms is scissor lifts. This equipment is utilized to create an “X” patterned support in order to accomplish vertical lifting. The scissor lift has a rectangular platform attached to the top of it. For additional operator safety and to keep items along the edge of the platform secure, there are support railings. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. These units can run on either a combustion engine or electric engine to handle the lifting and transporting of the machine. The scissor lift operates on a vertical plane and if the operator needs to move the lift horizontally, they have to reposition the machine. The lifting components of both regular lift models and rough terrain units rely on the same lifting technology. The rough terrain units are designed for driving on gravel and uneven surfaces. These machines rely on large all-terrain tires to allow rough terrain scissor lifts to traverse difficult locations while offering higher ground clearance. These scissor lifts feature 4WD to get through muddy and difficult terrain. Lower lifting heights are offered due to the higher center of gravity. These machines can be intimidating if you have never been on one or operated one previously. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. Rigorous safety testing has to be completed prior to selling these machines. It is natural to feel unsure of these units until you can familiarize yourself with them. Safety precautions need to be maintained at all times. Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The scissor lift model you will need will largely depend on the types of jobs you will need to do. How high you need to travel and how heavy the loads you will be transporting are all key factors. There are specific models available to take you to extreme heights. Tinier models are often preferred for interior jobs such as factory, freight or warehousing situations. If you do not need the highest capacity model, there is no need to choose the largest unit available. Electric scissor lifts have optional platforms and railings to offer maximum safety features. Scissor lifts are reliable and safe for a multitude of applications. Many safety inspections and specifications need to be maintained in order for these industrial machines to be available for sale. Scissor lifts help people accomplish tasks that are otherwise unattainable, unreachable or inaccessible. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. Before the lift is engaged, the operator will properly position the unit. Many safety features have been incorporated into these units. It is essential to follow operational guidelines to maintain everyone's safety. The scissor lift's safety basket creates a secure work area compared to trying to accomplish similar tasks from a ladder or scaffolding. The majority of scissor lifts utilize batteries that are internally mounted inside of the base of the lift to generate power. Electric scissor lifts need to be charged regularly; especially after prolonged work shifts. Batteries may be changed every 12 hours or charged many times throughout the day. Scissor lifts are charged in a well-ventilated area, parked near an electrical outlet. After the scissor lift is parked the emergency shut-off switch is activated for safety. The large red button found inside the lift or the basket, close to the charger or the control box is the emergency shut-off switch. Oftentimes, the battery charger is found on the right side of the lift on the base of the machine. Older scissor lifts may have a battery charger found on the back of the unit. The charger is plugged into the AC extension cord in an area that is well-ventilated and then the extension cord is plugged into an electrical outlet. The electrical cord length on the battery charger has to be short for safety reasons to prevent the unit from running over it. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Once the scissor lift is plugged in, all of the lights on the charger should ideally become illuminated. After the scissor lift is plugged in the machine's batteries begin to charge. After the charging is complete, the battery lights switch to green and the charger shuts down. Older scissor lift models rely on a meter to show whether zero volts have been attained after complete charging has occurred. This type of

charger automatically shuts down as well once charging is done. The machine is ready to tackle another shift once the batteries are fully charged. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.